AUTHOR INDEX

Adler, W. F., Development of design data for rain impact damage in infrared-transmitting materials, 143
Anthony, Frank M., Actively cooled silicon mirrors, 196
Biggers, James V., $CaLa_2S_4$: ceramic window material for the 8 to 14 μm region, 38
Blair, Gerald E., New high index optical glasses, 70
Boucher, M. W., Gallium arsenide infrared windows for high-speed airborne applications, 44
Brau, M. J., Gallium arsenide infrared windows for high-speed airborne applications, 44
Brown, Stephen F., Laser-induced damage and two-photon absorption measurements in CdTe, 215
Cannon, R. M., Toughened optical materials, 173
Chess, Catherine A., $CaLa_2S_4$: ceramic window material for the 8 to 14 μm region, 38
Chess, Daniel, $CaLa_2S_4$: ceramic window material for the 8 to 14 μm region, 38
Chew, R. K., Effect of water and its derived impurities on metal oxides, 86
Coble, G. S., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Connolly, J. F., New advances in chemical vapor deposited (CVD) infrared transmitting materials, 65
Corbin, Normand D., Nitrogen-stabilized aluminum oxide spinel (ALON), 19
Coyle, T. W., Toughened optical materials, 173
Crist, B., Light scattering and absorption by glassy poly (methyl methacrylate) (PMMA) and polystyrene (PS), 169
DeJager, Donald, New high index optical glasses, 70
Dempsey, D. V., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Detrio, J. A., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Donadio, R. N., New advances in chemical vapor deposited (CVD) infrared transmitting materials, 65
Dambaugh, William H., Infrared transmitting germanate glasses, 80
Evans, A. G., Impact damage and erosion in infrared materials, 99
Fernelius, Nils C., Characterization of candidate laser window materials, 188
———, Multiwavelength laser rate calorimetry on various infrared window materials, 137
Fox, J. A., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Franck, Jerome B., Technique for increasing the optical strength of single-crystal NaCl through temperature cycling, 212
Gebhardt, J. J., Optical properties of chemical vapor deposition (CVD) silicon nitride, 59
Gorre, L. E., Effect of water and its derived impurities on metal oxides, 86
Graves, George A., Characterization of candidate laser window materials, 188
Greason, P. R., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Greco, Edgar J., New high index optical glasses, 70
Greener, J., Thermal stresses in amorphous plastics, 92
Hopkins, Alan K., Actively cooled silicon mirrors, 196
Johnston, G. T., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Kenyon, P. M., Thermal stresses in amorphous plastics, 92
Ketcham, T. D., Toughened optical materials, 173
Knecht, Walter L., Characterization of candidate laser window materials, 188
Laub, Bernard, Ablative radome materials thermal-ablation and erosion modeling, 107
Lewis, D. III, Thermal shock testing of optical ceramics, 120
Marhic, M., Light scattering and absorption by glassy poly (methyl methacrylate) (PMMA) and polystyrene (PS), 169
Marsh, K. J., Materials study to find an advanced optical window material for 8 to 12 μm airborne applications, a, 35
McCauley, James W., Nitrogen-stabilized aluminum oxide spinel (ALON), 19
McHenry, Michael R., Ablative radome materials thermal-ablation and erosion modeling, 107
Musikant, Solomon, Infrared (IR) dome ceramics, development of a new family of improved, 2
O'Quinn, D. B., Multiwavelength laser rate calorimetry on various infrared window materials, 137
Pastor, A. C., Effect of water and its derived impurities on metal oxides, 86
Pastor, R. C., Effect of water and its derived impurities on metal oxides, 86
Raffo, J. A., Recent developments in polycarbonate coatings for advanced aircraft, 52
Rosolowski, Joseph H., Light scattering in polycrystalline materials, 156
Roy, Donald W., Hot-pressed $MgAl_2O_4$ for ultraviolet (UV), visible, and infrared (IR) optical requirements, 13
———, Progress in the development of ternary sulfides for use from 8 to 14 μm, 24
Savage, J. A., Materials study to find an advanced optical window material for 8 to 12 μm airborne applications, a, 35
Schroeder, John, Light scattering in polycrystalline materials, 156
Soileau, M. J., Laser-induced damage and two-photon absorption measurements in CdTe, 215
———, Technique for increasing the optical strength of single-crystal NaCl through temperature cycling, 212
Stone, L. E., Gallium arsenide infrared windows for high-speed airborne applications, 44
Strobel, Forrest A., Thermostructural evaluation of spinel infrared (IR) domes, 125
Tanzilli, R. A., Optical properties of chemical vapor deposition (CVD) silicon nitride, 59
Taylor, R. L., New advances in chemical vapor deposited (CVD) infrared transmitting materials, 65
Turk, R. R., Infrared optics hot pressed from fluoride glass, 204
Van Stryland, Eric W., Laser-induced damage and two-photon absorption measurements in CdTe, 215
Voss, D. L., Recent developments in polycarbonate coatings for advanced aircraft, 52
White, William B., $CaLa_2S_4$: ceramic window material for the 8 to 14 μm region, 38
Williams, William E., Laser-induced damage and two-photon absorption measurements in CdTe, 215
Woodall, M. W., Laser-induced damage and two-photon absorption measurements in CdTe, 215
Wylot, James M., New high index optical glasses, 70

SUBJECT INDEX

Ablative radome materials thermal-ablation and erosion modeling, 107
Ablation and erosion modeling, ablative radome materials, thermal-, 107
Absorption by glassy poly (methyl methacrylate) (PMMA) and polystyrene (PS), light scattering and, 169
Absorption measurements in CdTe, laser-induced damage and two-photon, 215
Actively cooled silicon mirrors, 196
Airborne applications, gallium arsenide infrared windows for high-speed, 44
Airborne applications, a materials study to find an advanced optical window material for 8 to 12 μm, 35

Aircraft, recent developments in polycarbonate coatings for advanced, 52
Aluminum oxide spinel (ALON), nitrogen-stabilized, 19
Amorphous plastics, thermal stresses in, 92
Arsenide infrared windows for high-speed airborne applications, gallium, 44

$CaLa_2S_4$: ceramic window material for the 8 to 14 μm region, 38
CdTe, laser-induced damage and two-photon absorption measurements in, 215
Calorimetry on various infrared window materials, multiwavelength laser rate, 137
Ceramic window material for the 8 to 14 μm region, $CaLa_2S_4$:, 38
Ceramics, development of a new family of improved infrared dome, 2
Ceramics, thermal shock testing of optical, 120
Characterization of candidate laser window materials, 188
Chemical vapor deposited infrared transmitting materials, new advances in, 65
Chemical vapor deposition silicon nitride, optical properties of, 59
Coatings for advanced aircraft, recent developments in polycarbonate, 52
Cooled silicon mirrors, actively, 196

Damage and erosion in infrared materials, impact, 99
Damage in infrared-transmitting materials, development of design data for rain impact, 143
Damage and two-photon absorption measurements in CdTe, laser-induced, 215
Design data for rain impact damage in infrared-transmitting materials, development of, 143
Development of design data for rain impact damage in infrared-transmitting materials, 143
Development of a new family of improved infrared dome ceramics, 2
Dome ceramics, development of a new family of improved infrared, 2
Domes, thermostructural evaluation of spinel infrared (IR), 125

Effect of water and its derived impurities on metal oxides, 86
8 to 14 μm, progress in the development of ternary sulfides for use from, 24
8 to 14 μm region, $CaLa_2S_4$: ceramic window material for the, 38
8 to 12 μm airborne applications, a materials study to find an advanced optical window material for, 35
Erosion in infrared materials, impact damage and, 99
Erosion modeling, ablative radome materials thermal-ablation and, 107

Fluoride glass, infrared optics hot pressed from, 204

Gallium arsenide infrared windows for high-speed airborne applications, 44
Germanate glasses, infrared transmitting, 80
Glass, infrared optics hot pressed from fluoride, 204
Glasses, infrared transmitting germanate, 80
Glasses, new high index optical, 70
Glassy poly (methyl methacrylate) (PMMA) and polystyrene (PS), light scattering and absorption by, 169

High index optical glasses, new, 70
High-speed airborne applications, gallium arsenide infrared windows for, 44
Hot pressed from fluoride glass, infrared optics, 204
Hot-pressed $MgAl_2O_4$ for ultraviolet (UV), visible, and infrared optical requirements, 13

Impact damage and erosion in infrared materials, 99
Impact damage in infrared-transmitting materials, development of design data for rain, 143
Impurities on metal oxides, effect of water and its derived, 86
Index optical glasses, new high, 70
Infrared domes, thermostructural evaluation of spinel, 125
Infrared materials, impact damage and erosion in, 99
Infrared optical requirements, hot-pressed $MgAl_2O_4$ for ultraviolet, visible, and, 13
Infrared optics hot pressed from fluoride glass, 204
Infrared transmitting germanate glasses, 80
Infrared-transmitting materials, development of design data for rain impact damage in, 143
Infrared transmitting materials, new advances in chemical vapor deposited, 65
Infrared window materials, multiwavelength laser rate calorimetry on various, 137
Infrared windows for high-speed airborne applications, gallium arsenide, 44

Laser-induced damage and two-photon absorption measurements in CdTe, 215
Laser rate calorimetry on various infrared window materials, multiwavelength, 137
Laser window materials, characterization of candidate, 188
Light scattering and absorption by glassy poly (methyl methacrylate) (PMMA) and polystyrene (PS), 169
Light scattering in polycrystalline materials, 156

$MgAl_2O_4$ for ultraviolet, visible, and infrared (IR) optical requirements, hot-pressed, 13
Material for the 8 to 14 μm region, $CaLa_2S_4$: ceramic window, 38
Material for 8 to 12 μm airborne applications, a materials study to find an advanced optical window, 35
Materials, characterization of candidate laser window, 188
Materials, development of design data for rain impact damage in infrared-transmitting, 143
Materials, impact damage and erosion in infrared, 99
Materials, light scattering in polycrystalline, 156
Materials, multiwavelength laser rate calorimetry on various infrared window, 137
Materials, new advances in chemical vapor deposited infrared transmitting, 65
Materials study to find an advanced optical window material for 8 to 12 μm airborne applications, a, 35
Materials thermal-ablation and erosion modeling, ablative radome, 107
Materials, toughened optical, 173
Metal oxides, effect of water and its derived impurities on, 86
Methacrylate) (PMMA) and polystyrene (PS), light scattering and absorption by glassy poly (methyl, 169
(Methyl methacrylate) (PMMA) and polystyrene (PS), light scattering and absorption by glassy poly, 169
Mirrors, actively cooled silicon, 196
Modeling, ablative radome materials thermal-ablation and erosion, 107
Multiwavelength laser rate calorimetry on various infrared window materials, 137

NaCl through temperature cycling, technique for increasing the optical strength of single-crystal, 212
New advances in chemical vapor deposited (CVD) infrared transmitting materials, 65
New high index optical glasses, 70
Nitrogen-stabilized aluminum oxide spinel (ALON), 19

Optical ceramics, thermal shock testing of, 120
Optical glasses, new high index, 70
Optical materials, toughened, 173
Optical properties of chemical vapor deposition silicon nitride, 59
Optical requirements, hot-pressed $MgAl_2O_4$ for ultraviolet, visible, and infrared, 13
Optical strength of single-crystal NaCl through temperature cycling, technique for increasing the, 212
Optical window material for 8 to 12 μm airborne applications, a materials study to find an advanced, 35
Optics hot pressed from fluoride glass, infrared, 204

Photon absorption measurements in CdTe, laser-induced damage and two-, 215
Plastics, thermal stresses in amorphous, 92

Polycarbonate coatings for advanced aircraft, recent developments in, 52
Polycrystalline materials, light scattering in, 156
Poly (methly methacrylate) (PMMA) and polystyrene (PS), light scattering and absorption by glassy, 169
Polystyrene (PS), light scattering and absorption by glassy poly (methyl methacrylate) (PMMA) and, 169
Progress in the development of ternary sulfides for use from 8 to 14 μm, 24

Radome materials thermal-ablation and erosion modeling, ablative, 107
Recent developments in polycarbonate coatings for advanced aircraft, 52
Rain impact damage in infrared-transmitting materials, development of design data for, 143

Scattering and absorption by glassy poly (methyl methacrylate) (PMMA) and polystyrene (PS), light, 169
Scattering in polycrystalline materials, light, 156
Shock testing of optical ceramics, thermal, 120
Silicon mirrors, actively cooled, 196
Silicon nitride, optical properties of chemical vapor deposition, 59
Single-crystal NaCl through temperature cycling, technique for increasing the optical strength of, 212
Stresses in amorphous plastics, thermal, 92
Sulfides for use from 8 to 14 μm, progress in the development of ternary, 24

Technique for increasing the optical strength of single-crystal NaCl through temperature cycling, 212
Temperature cycling, technique for increasing the optical strength of single-crystal NaCl through, 212
Ternary sulfides for use from 8 to 14 μm, progress in the development of, 24
Thermal-ablation and erosion modeling, ablative radome materials, 107
Thermal shock testing of optical ceramics, 120
Thermal stresses in amorphous plastics, 92
Thermostructural evaluation of spinel infrared (IR) domes, 125
Toughened optical materials, 173
Transmitting germanate glasses, infrared, 80
Transmitting materials, development of design data for rain impact damage in infrared-, 143
Transmitting materials, new advances in chemical vapor deposited infrared, 65
Two-photon absorption measurements in CdTe, laser-induced damage and, 215

Ultraviolet, visible, and infrared optical requirements, hot-pressed $MgAl_2O_4$ for, 13

Vapor deposited infrared transmitting materials, new advances in chemical, 65
Vapor deposition silicon nitride, optical properties of chemical, 59
Visible, and infrared optical requirements, hot-pressed $MgAl_2O_4$ for ultraviolet, 13

Water and its derived impurities on metal oxides, effect of, 86
Window material for the 8 to 14 μm region, $CaLa_2S_4$ ceramic, 38
Window material for 8 to 12 μm airborne applications, a materials study to find an advanced optical, 35
Window materials, characterization of candidate laser, 188
Window materials, multiwavelength laser rate calorimetry on various infrared, 137
Windows for high-speed airborne applications, gallium arsenide infrared, 44